

● PRINTER RUSH ●
(PTO ASSISTANCE)

Application :	Examiner :	GAU :
From:	Sotelo	3617
Location:	IDC FMF FDC	Date:
		3-3-06
Tracking #: Epm 10771,644 Week Date: 1-16-06		

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	2-4-04	

[RUSH] MESSAGE: Page 6 of spec 2-4-04 contains two different descriptions for Fig. 19.

Thank You
[Signature]

[XRUSH] RESPONSE: An examiner's Amendment has been entered cancelling lines 15 and 16 on page 6 of the specification.

INITIALS: *[Signature]*

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04